

2026 Antibiogram
Blanchard Valley Hospital, Findlay, Ohio
January 2025 to December 2025

GRAM POSITIVE									
Antibiogram 2026 BVH Patient	Enterococcus faecalis	Enterococcus faecium	Staphylococcus epidermidis	Staphylococcus hominis	Staphylococcus lugdunensis	Staphylococcus aureus	Streptococcus anginosus	Strep. pneumo	
	PATIENTS								
# of isolates analyzed	468	65	290	67	105	711	70	30	
	% Susceptible								
Ampicillin	100%	31%					100%		
Benzylpenicillin							99%	60/60/100%*	
Cefotaxime							100%	93/100%*	
Ceftriaxone							100%	83/100%*	
Ciprofloxacin	87%	15%							
Clindamycin			56%	67%	80%	78%	77%	83%	
Daptomycin	100%	91%	100%	100%	100%	100%			
Doxycycline	27%	23%	88%	90%	100%	96%			
Erythromycin	9%	11%	34%	37%	80%	52%	60%	57%	
Levofloxacin	88%	17%	67%	84%	100%	78%	94%	100%	
Linezolid	98%	95%	100%	100%	100%	100%	100%		
Nitrofurantoin (U)	99%	32%	100%	97%	100%	100%			
Oxacillin			40%	42%	88%	66%			
Gentamicin Synergy (high level)	82%	96%							
Streptomycin Synergy (high level)	92%	45%							
Tetracycline	24%	23%	81%	66%	95%	89%		80%	
Tigecycline	100%	100%							
Trimethoprim-sulfa			58%	78%	99%	93%		73%	
Vancomycin	99%	48%	100%	100%	100%	100%	100%	100%	

Empiric Therapy: Prior to receiving specific susceptibility results, drugs to which organisms are greater than 80% susceptible are generally considered good choices, although patient history, site of infection, and specific pharmacologic properties as they apply to the particular patient must be taken into account.

*= Penicillin= Meningitis/Oral/Pneumonia. Cefotaxime and Ceftriaxone=Meningitis/Other

U=Urines only

2026 Antibiogram
Blanchard Valley Hospital, Findlay, Ohio
January 2025 to December 2025

GRAM NEGATIVE										
Antibiogram 2026 BVH Patient	Citrobacter freundii	Enterobacter cloacae complex	E. coli	Klebsiella (Enterobacter) aerogenes	Klebsiella pneumoniae	Klebsiella oxytoca	Morganella morganii	Proteus mirabilis	Pseudomons aeruginosa	Serratia marcescens
	PATIENTS									
# of Isolates analyzed	64	149	2318	75	598	117	58	315	310	89
	% Susceptible									
Ampicillin			63%		0%	0%	0%	87%		
Ampicillin/Sulbactam			73%		87%	79%	12%	94%		
Cefazolin	0%	0%	73%	0%	84%	5%	0%	8%		0%
Cefepime	100%	95%	96%	100%	94%	99%		96%	94%	100%
Ceftazidime	81%	82%	95%	88%	93%	99%		98%	96%	98%
Ceftriaxone	81%		95%	88%	92%	97%		94%		96%
Ciprofloxacin	88%	87%	79%	93%	85%	98%	72%	83%	85%	90%
Gentamicin	92%	97%	94%	100%	98%	99%	88%	90%		99%
Levofloxacin	88%	89%	79%	93%	85%	98%	71%	82%	81%	89%
Ertapenem	98%	89%	100%	99%	99%	100%	98%	100%		100%
Meropenem	98%	100%	100%	99%	99%	100%	100%	100%	95%	100%
Nitrofurantoin (U)	97%	32%	96%	11%	31%	82%	0%	0%		0%
Piperacillin /Tazobactam	84%	80%	97%	88%	94%	94%	100%	100%	92%	
Trimethoprim-sulfa	89%	92%	83%	95%	88%	97%	83%	83%		100%

Empiric Therapy: Prior to receiving specific susceptibility results, drugs to which organisms are greater than 80% susceptible are generally considered good choices, although patient history, site of infection, and specific pharmacologic properties as they apply to the particular patient must be taken into account.

U= urines only